Volume 15 1982

THE GREAT LAKES ENTOMOLOGIST

INDEX

Compiled by George C. Heaton

Number	*Publication Date*
1	6 May 1982
2	3 June 1982
3	15 Sep. 1982
4	18 Feb. 1983

PUBLISHED BY
THE MICHIGAN ENTOMOLOGICAL SOCIETY

THE GREAT LAKES ENTOMOLOGIST
VOLUME XV (1982)
AUTHOR INDEX

Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller. Seasonal Emergence Patterns of Black Flies (Diptera: Simuliidae) in Northwestern Pennsylvania, 253.

Averill, Robert D., Louis F. Wilson, and Richard F. Fowler. Impact of the Redheaded Pine Sawfly (Hymenoptera: Diprionidae) on Young Red Pine Plantations, 65.

Bach, Catherine E. The Influence of Plant Dispersion on Movement Patterns of the Colorado Potato Beetle, Leptinotarsa decemlineata (Coleoptera: Chrysomelidae), 247.

Borkin, Susan Sullivan. Notes on Shifting Distribution Patterns and Survival of Immature *Danaus plexippus* (Lepidoptera: Danaidae) on the Food Plant *Asclepias Syriaca*, 199.

Bouseman, John K. *Triepeolus mesillae* (Hymenoptera: Apoidea) in Illinois: A Cleptoparasitic Bee New to the Eastern United States, 146.

Brown, Grayson C. Determining the Cost of an IPM Scouting Program, 303.

Clement, S. L. (See Levine, Eli, S. L. Clement, and R. S. Schmidt), 47.

Connor, Michael D., Mark W. Houseweart, and Herbert M. Kulman. Susceptibility of White Spruce Seed Sources to Yellow-headed Spruce Sawfly, *Pikonema Alaskensis* (Hymenoptera: Tenthredinidae), 207.

Coppel, H. C. (See Mohamed, M. A., H. C. Coppel, and J. D. Podgwaite), 93.

Cutler, Bruce. Description of a New Species of *Paradamoetas* (Araneae: Salticidae), with a Revised Key to the Genus, 219.

Dood, S. B. and A. Kurta. New Records for Ectoparasites of Michigan Bats, 217.

Dunn, Gary A. A Directory of Policies on Arthropod Collecting on Public Lands, 123.

Dunn, Gary A. Ground Beetles (Coleoptera: Carabidae) Collected by Pitfall Trapping in Michigan Small-grain Fields, 37.

Elliott, N. C., R. J. Wolff, W. E. Johnson, and J. G. Engemann. Genetic Differentiation Among Three Species of *Paradosa* (Arachnida: Lycosidae), 55.

Engemann, J. G. (See Elliott, N. C., R. J. Wolff, W. E. Johnson, and J. G. Engemann), 55.

Evans, David A. Diurnal and Seasonal Activity of Female Mutillids on a Michigan Sand Flat (Hymenoptera: Multillidae), 213.

Evans, M. H. (See Scriber, J. M., G. L. Lintereur, and M. H. Evans), 39.

Fowler, Gary W. and Gary A. Simmons. Spruce Budworm Egg Mass Density on Balsam Fir: Low to Extreme Population Levels (Lepidoptera: Tortricidae), 277.

Fowler, Gary W. and John A. Witter. Accuracy and Precision of Insect Density and Impact Estimates, 103.

Fowler, Gary W. (See Simmons, Gary A. and Gary W. Fowler), 287.

Fowler, Richard F., Louis F. Wilson, and Allen L. Lundgren. Projected Red Pine Yields From Aldrin-Treated and Untreated Stands Damaged by White Grub (Coleoptera: Scarabaeidae) and Other Agents at Stand Age Ten Years, 165.
Fowler, Richard F. (See Averill, Robert D., Louis F. Wilson, and Richard F. Fowler), 65.
Gosling, D. C. L. Michigan Trees by Burton V. Barnes and Warren H. Wagner, Jr. (book review), 143.
Hanna, Murray. Gypsy Moth (Lepidoptera: Lymantriidae): History of Eradication Efforts in Michigan, 1954-1981, 193.
Harcourt, D. G. Population Assessment During the Adult Stage of the Alfalfa Blotch Leafminer, *Agromyza frontella* (Diptera: Agromyzidae), 49.
Hilsenhoff, William L. and Bryn H. Tracy. A New Species of *Hydrochara* from the Western Great Lakes Region, 99.
Hilsenhoff, William L. (See Tracy, Bryn H. and William L. Hilsenhoff), 163.
Houseweart, Mark W. (See Connor, Michael D., Mark W. Houseweart, and Herbert M. Kulman), 207.
Johnson, W. E. (See Elliott, N. C., R. J. Wolff, W. E. Johnson, and J. G. Engemann), 55.
Kim, K. C. (See Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller), 253.
Koller, C. N. (See Mattson, W. J., C. N. Koller, and S. S. Slocum), 185.
Kulman, Herbert M. (See Connor, Michael D., Mark W. Houseweart, and Herbert M. Kulman), 207.
Kurczewski, Frank E. (See O'Brien, Mark F. and Frank E. Kurczewski), 261.
Kurta, A. (See Dood, S. B. and A. Kurta), 217.
Levine, Eli, S. L. Clement, and R. S. Schmidt. A Low Cost and Labor Efficient Method for Rearing Black Cutworms (Lepidoptera: Noctuidae), 47.
Lintereur, G. L. (See Scriber, J. M., G. L. Lintereur, and M. H. Evans), 39.
Lundgren, Allen L. (See Fowler, Richard F., Louis F. Wilson, and Allen L. Lundgren), 165.
Lynch, Ann M. (See Mog, Thomas P., Ann M. Lynch, and J. A. Witter), 1.
Masteller, E. C. (See Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller), 253.
Mattson, W. J., C. N. Koller, and S. S. Slocum. Adult Female Spruce Budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), Dry Weight in Relationship to Pupal Fresh Weight and Case Diameter, 185.
McCafferty, W. P. A New Species of *Nixe* From Indiana (Ephemeroptera: Heptageniidae), 227.
McPherson, J. E. and S. M. Paskewitz. Effects of Continuous and Split Developmental Photophases During Each 24 Hour Period on Adult Color and Pubescence in *Thyanta Calceata* (Hemiptera: Pentatomidae), 97.
McPherson, J. E. and S. M. Paskewitz. Effects of Various Split Developmental Photophases and Constant Light During Each 24 Hour Period on Adult Morphology in *Euschistus tristigmus tristigmus* (Hemiptera: Pentatomidae), 159.
McPherson, J. E. (See Paskewitz, S. M. and J. E. McPherson), 231.
McPherson, J. E. (See Weber, B. C. and J. E. McPherson), 171.
McPherson, J. E. (See Weber, B. C. and J. E. McPherson), 175.
Meier, Peter G. (See Roberts, Dale and Peter G. Meier), 59.
Meyer, R. H. Biological Characteristics That Make the Lesser Peachtree Borer (Lepidoptera: Sesiidae) a Pest on Peach Trees, 189.
Mog, Thomas P., Ann M. Lynch, and J. A. Witter. Impact of the Spruce Budworm (Lepidoptera: Tortricidae on the Ottawa and Hiawatha National Forests, 1978-1980, 1.

Mohamed, M. A., H. C. Coppel, and J. D. Podgwaite. Bioassay of the Nucleopolyhedrosis virus of *Neodiprion sertifer* (Hymenoptera: Diprionidae), 93.
Montgomery, Bruce A. (See Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randal G. Rogan), 297.
Morton, H. L. (See Witter, J. A. and H. L. Morton), 119.
Nielsen, M. C. Butterflies of the Rocky Mountain States. Edited by Clifford D. Ferris and F. Martin Brown (book review), 143, 144.
O'Brien, Mark F. and Frank E. Kurczewski. Ethology and Overwintering of *Podalonia luctuosa* (Hymenoptera: Sphecidae), 261.
Ostry, Michael E. (See Sapio, Frank J., Louis F. Wilson, and Michael E. Ostry), 237.
Paskewitz, S. M. and J. E. McPherson. Descriptions of Nymphal Instars of *Thyanta calceata* (Hemiptera: Pentatomidae), 231.
Paskewitz, S. M. (See McPherson, J. E. and S. M. Paskewitz), 97.
Paskewitz, S. M. (See McPherson, J. E. and S. M. Paskewitz), 159.
Podgwaite, J. E. (See Mohamed, M. A., H. C. Coppel, and J. D. Podgwaite), 93.
Roberts, Dale and Peter G. Meier. A New Method for Exposing Deposit Feeders to Contaminated Sediments for Food Chain Studies, 59.
Rogan, Randall G. (See Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randal G. Rogan), 297.
Ruesink, W. G. (See Wagner, S. W. and W. G. Ruesink), 153.
Sapio, Frank J., Louis F. Wilson, and Michael E. Ostry. A Split-Stem Lesion on Young Hybrid *Populus* Trees Caused by the Tarnished Plant Bug, *Lygus lineolaris* (Hemiptera [Heteroptera] : Miridae), 237.
Schmidt, R. S. (See Levine, Eli, S. L. Clement, and R. S. Schmidt), 47.
Scriber, J. M., G. L. Lintereur, and M. H. Evans. Foodplant Suitabilities and a New Oviposition Record for *Papilio glaucus canadensis* (Lepidoptera: Papilionidae) in Northern Wisconsin and Michigan, 39.
Simmons, Gary A. and Gary W. Fowler. Spruce Budworm Egg Mass Density on Balsam Fir and White Spruce: Low Population Levels (Lepidoptera: Tortricidae), 287.
Simmons, Gary A. (See Fowler, Gary W. and Gary A. Simmons), 277.
Simmons, Gary A. (See Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randal G. Rogan), 297.
Slocum, S. S. (See Mattson, W. J., C. N. Koller, and S. S. Slocum), 185.
Smith, R. E. Large-scale Production of Fungal Bait Blocks for Attraction of Termites (Isoptera: Rhinotermitidae), 31.
Taboada, Oscar. First Report of the Leafhopper *Graminella fitchii* for Michigan (Homoptera: Cicadellidae), 223.
Tracy, Bryn H. and William L. Hilsenhoff. The Female of *Graphoderus manitobensis* with Notes on Identification of Female *Graphoderus* (Coleoptera: Dytiscidae), 163.
Tracy, Bryn H. (See Hilsenhoff, William L. and Bryn H. Tracy), 99.
Travis, B. L. (See Adler, P. H., B. L. Travis, K. C. Kim, and E. C. Masteller), 253.
Voegtlin, David. The Distribution and Spread of *Hyadaphis tataricae* (Homoptera: Aphididae) in the North-Central States with Notes on Its Hosts, Biology, and Origin, 147.
Wagner, S. W. and W. G. Ruesink. The Distribution of Natural Enemies of the Corn Leaf Aphid (Homoptera: Aphididae) on Field Corn, 153.
Weber, B. C. and J. E. McPherson. Annotated Bibliography of the Ambrosia Beetle *Xylosandrus germanus* (Coleoptera: Scolytidae), 175.

Weber, B. C. and J. E. McPherson. The Distribution of *Xyloeandrus Germanus* in America North of Mexico (Coleoptera: Scolytidae), 171.
Wheeler, A. G., Jr. The Pentatomoidea (Hemiptera) of Northeastern North America with Emphasis on the Fauna of Illinois. by J. E. McPherson. (Review), 225.
Wilson, Louis F. (See Averill, Robert D., Louis F. Wilson, and Richard F. Fowler), 65.
Wilson, Louis F. (See Fowler, Richard F., Louis F. Wilson, and Allen L. Lundgren), 165.
Wilson, Louis F. (See Sapio, Frank J., Louis F. Wilson, and Michael E. Ostry), 237.
Wilson, Stephen W., Description of the Fifth Instar of *Apache degeerii* (Homoptera: Fulgoroidea: Derbidae), 35.
Witter, J. A. and H. L. Morton. The Role of Tree Clinics in Urban Forestry, 119.
Witter, John A. (See Fowler, Gary W. and John A. Witter), 103.
Witter, J. A. (See Mog, Thomas P., Ann M. Lynch, and J. A. Witter), 1.
Witter, John A., Gary A. Simmons, Bruce A. Montgomery, Randall G. Rogan. Technology Transfer in Forest Pest Management: A Case History, 297.
Wolff, R. J. (See Elliott, N. C., R. J. Wolff, W. E. Johnson, and J. G. Engemann), 55.
Young, Allen M. Predation on the Pupae of Saturniidae (Lepidoptera) by Gray Squirrels in Wisconsin, 145.

SUBJECT INDEX

Acalymma, 247, 251.
Acalymma innubum, 251.
Acalymma vittatum, 248, 252.
Acanthomyops sp., 271.
Acanthosomatidae, 225.
Acari, 217, 218.
Aethus nigritus, 226.
Agonum cupripenne, 37.
Agonum placidum, 37.
Agromyza frontella, 49-54.
Agromyzidae, 49-54.
Agrotinae, 267.
Agrotis sp., 267.
Agrotis ipsilon, 47, 48, 273.
Alabidocarpus calcaratus, 218.
Aletia oxygala, 267.
Alfalfa blotch leafminer, 49-54.
Amara cupreolata, 37.
Amara ellipsis, 37.
Amara littoralis, 37.
Ambrosia beetle, 171-174, 175-183.
Ammophila, 261, 268, 273.
Ammophilini, 261-275.
Anisodactylus lugubris, 37.
Anisodactylus nigerrimus, 38.
Anisodactylus rusticus, 37.
Anisodactylus sanctaecrucis, 37.
Anoplius tenebrosus, 269.
Anopilus viaticus, 269.
Antherea polyphemus, 145
Anthocoridae, 154-156.
Ants, 267, 273, 274.
Apache degeerii, 35, 36.
Aphidencyrtus aphidivorus, 156.
Aphididae, 147-152, 153-157.
Aphidius sp., 156.
Aphids, 147-152, 153-157.
Apoidea, 146.
Arachnida, 55-58, 204, 219-222, 267.
Araneae, 219-222.
Argasidae, 218.
Arctiidae, 261, 262.
Asaphes sp., 156.
Asopinae, 225.
Attacus atlas, 145.
Banasa, 225.
Banasa euchlora, 226.
Bembidion incrematum, 37.
Bembidion nitidum, 37.
Black cutworm, 47, 48.
Black flies, 253-260.
Bonnetia comta, 273.
Braconidae, 156.
Callosamia promethea, 145.
Calosoma calidum, 37.
Carabidae, 37, 38.
Cereal leaf beetle, 50.
Chigger mite, 218.
Chirodiscidae, 218.
Chironomidae, 59-63.
Chironomus plumosus, 59-63.
Chlaenius tomentosus, 38.
Chlaenius tricolor, 38.
Chlorochroa, 226.
Choristoneura fumiferana, 1-24, 109, 111, 185-187, 277-286, 287-296, 297-301.
Choristoneura occidentalis, 278.
Chorizagrotis agretis, 267.
Chrysomelidae, 247-252.
Cicadellidae, 223.
Cicindelidae, 267, 273.
Cicindela repanda, 267.
Cicindela scutellaris, 267.
Cimex adjunctus, 217.
Cimex brevis, 217.
Cimex pilosellus, 217.
Cimicidae, 217.
Clivina impressifrons, 37.
Closterocerus cinctipennis, 74.
Coccinellidae, 154, 155.
Coleomegilla maculata, 154.
Coleoptera, 37, 38, 50, 99-102, 154, 155, 163, 164, 165-170, 171-174, 175-183, 247-252, 267.
Colliuris pensylvanicus, 38.
Colorado potato beetle, 247-252.
Corimelaenidae, 225, 226.
Corn leaf aphid, 153-157.
Crab-spider, 267.
Cryptonyssus flexus, 217.
Cucumber beetles, 247, 251, 252.
Cydnidae, 225.
Danaidae, 199-206.
Danaus plexippus, 199-206.
Dasymutilla asopus bexar, 213, 215.
Dasymutilla canella, 213, 215.
Dasymutilla lepeletierii, 213, 215.
Dasymutilla nigripes, 213, 215.
Dasymutilla vesta vesta, 213.
Dendrocerus niger, 156.
Derbidae, 35, 36.
Dipogon intermedia, 269.
Diprion pini, 84.
Diprionidae, 65-91, 93-96.
Diptera, 49-54, 59-63, 253-260, 261, 262, 264, 267, 268, 273, 274.
Dytiscidae, 163, 164.
Eastern tiger swallowtail butterfly, 39-46.

Elasmucha lateralis, 226.
Encrytidae, 156.
Ephemeroptera, 25-30, 227-229.
Epinomia triangulifera, 146.
Estigmene acrea, 261.
Eulophidae, 156.
Euphoeades, 144.
European pine sawfly, 207.
Euschistus, 225.
Euschistus tristigmus luridus, 159.
Euschistus tristigmus pyrrhocerus, 159, 160.
Euschistus tristigmus tristigmus, 159-161.
Euxoa sp., 266, 267.
Flea beetles, 251.
Forest tent caterpillar, 40.
Formica bradleyi, 267.
Formicidae, 267, 273, 274.
Frankliniella tenuicornis, 154.
Fulgoroidea, 35, 36.
Galerita janus, 38.
Galerucinae, 247.
Galgupha, 226.
Geopinus incrassatus, 37.
Graminella fitchii, 223.
Graphiphora badinodis, 267.
Graphoderus fasciatocollis, 163.
Graphoderus fascicollis, 163, 164.
Graphoderus liberus, 163.
Graphoderus manitobensis, 163, 164.
Greenbug, 154, 155.
Ground beetles, 37, 38.
Gryllus sp., 271.
Gypsy Moth, 193-198, 261.
Halticinae, 251.
Harpalus affinis, 37.
Harpalus caliginosus, 37.
Harpalus herbivagus, 37.
Hemiptera, 97, 98, 154-156, 159-161, 204, 217, 218, 225, 226, 231-235, 237-246.
Heptagenia persimplex, 25, 29, 227.
Heptageniidae, 25-30, 227-229.
Heteroptera, 225, 237-246.
Hilarella hilarella, 261, 266-268, 273.
Hilarella stricticа, 273.
Hippodamia convergens, 154, 156.
Hippodamia tredecimpunctata, 156.
Histiogaster hylocoeti, 177.
Homoptera, 35, 36, 147-152, 153-157, 223.
Hyadaphis tataricae, 147-152.
Hyalophora cecropia, 145.
Hydrochara brevipalpus, 99, 101, 102.
Hydrochara leechi, 99, 101, 102.
Hydrochara obtusata, 99-102.
Hydrochara occulta, 99.
Hydrochara simula, 99-102.
Hydrochara soror, 99, 101, 102.
Hydrochara spangleri, 99, 101, 102.
Hydrophilidae, 99-102.
Hylobius radicis, 86.
Hymenoptera, 65-91, 93-96, 146, 156, 207-211, 213-216, 261-275.
Ichneumonidae, 261.
Inaisalia, 144.
Ischnopsyllidae, 217.
Isoptera, 31-34.
Lacewing, 204.
Lacinipolia sp., 267.
Lasiocampidae, 261.
Lepidoptera, 1-24, 39-48, 143-145, 185-187, 189-192, 193-198, 199-206, 261-268, 273, 277-286, 287-296, 297-301.
Leptinotarsa decemlineata, 247-252.
Leptotrombidius myotis, 218.
Lespesia archippivora, 203.
Lesser peachtree borer, 189-192.
Leucania commoides, 267.
Leucrocuta, 227.
Liris argentata, 269.
Lycophotia margaritosa, 267.
Lycophotia saucia, 267.
Lycosidae, 55-58.
Lygus hesperus, 243.
Lygus lineolaris, 237-246.
Lygus rugulipennis, 243.
Lymantria dispar, 193-198, 261.
Lymantriidae, 193-198.
Macdunnoa brunnea, 25-29.
Macdunnoa nipawinia, 25, 27, 29, 30.
Macdunnoa persimplex, 25, 27-30, 227.
Macronyssidae, 217.
Macronyssus crosbyi, 217.
Malacosoma disstria, 40.
May beetles, 165-170.
Mayflies, 25-30, 227-229.
Meadorus lateralis, 226.
Mechantitis isthmia, 204.
Megaspilidae, 156.
Meteorus vulgaris, 262.
Midges, 59-63.
Miltogramminae, 261, 267.
Miridae, 237-246.
Misumena vatia, 267.
Mites, 217, 218.
Monarch butterfly, 199-206.
Mutillidae, 213-216.
Myobiidae, 218.
Myodopsylla insignis, 217.
Neodiprion abietis, 75.
Neodiprion hetrickii, 75.
Neodiprion lecontei, 65-91.
Neodiprion nanulus nanulus, 75.
Neodiprion sertifer, 93-96, 207.
Neotiglossa cavifrons, 226.
Neotiglossa sulcifrons, 226.
Neotiglossa tumidifrons, 226.
Nephalodes minians, 263, 267.
Neuroptera, 154, 155, 204.
Nezara viridula, 226.
Nixe flowersi, 227-229.
Noctuidae, 47, 48, 261, 263-268, 273.
Nomia triangulifera, 146.
Nymphalidae, 144.
Orius insidiosus, 154-156.
Oulema melanopus, 50.
Pachneuron altiscutum, 156.
Pachneuron siphonophorae, 156.
Papilio glaucus, 144.
Papilio glaucus canadensis, 39-46.
Papilio glaucus glaucus, 39-41, 43, 44.
Papilionidae, 39-46.

Paradamoetas cara, 219-222.
Paradamoetas changuinola, 219-222.
Paradamoetas fontana, 219, 220, 222.
Paradamoetas formicina, 219-222.
Pardosa distincta, 55-58.
Pardosa milvina, 55-58.
Pardosa moesta, 55-58.
Pentatomidae, 97, 98, 159-161, 225, 226, 231-235.
Pentatomoidea, 97, 98, 159-161, 225, 226.
Philanthus, 273.
Philanthus zebratus nitens, 262.
Phyllophaga spp., 165-170.
Pikonema alaskensis, 207-211.
Pine root collar weevil, 86.
Pitedia, 226.
Podalonia communis, 261, 262, 269.
Podalonia hirsuta, 261, 269, 273.
Podalonia luctuosa, 261-275.
Podalonia nigrohirta, 261.
Podalonia occidentalis, 261.
Podalonia robusta, 261.
Podalonia sericea, 262.
Podalonia valida, 261, 262.
Podalonia violaceipennis, 262.
Podisus maculiventris, 225.
Podisus modestus, 225.
Podisus serieventris, 225.
Pompilidae, 269, 272.
Priocnemis coriaceous, 269.
Priocnemis perturbator, 269.
Priocnemis propinqua, 269.
Prosimulium fuscum, 253-256, 258.
Prosimulium mixtum, 253-256, 258.
Pseudomethoca frigida frigida, 213.
Pseudomethoca sanbornii sanbornii, 213.
Pteromalidae, 156.
Pterostichus chalcites, 37.
Pterostichus lucublandis, 37.
Pterostichus melanarius, 37.
Redheaded pine sawfly, 65-91.
Reticulotermes flavipes, 31.
Reticulotermes virginicus, 31.
Rhinotermitidae, 31-34.
Rhopalosiphum maidis, 153-157.
Salticidae, 219-222.
Sarcophagidae, 261, 267, 268, 274.
Satellite flies, 267, 268.
Saturniidae, 145.
Scarites substriatus, 37.
Scarabaeidae, 165-170.
Schizaphis graminum, 154, 155.
Scolytidae, 171-174, 175-183.
Scutelleridae, 225.
Senotainia rubriventris, 268.
Sesiidae, 189-192.
Simuliidae, 253-260.
Simulium aureum, 253-258.
Simulium excisum, 253-256, 258.
Simulium gouldingi, 253-255, 257, 258.
Simulium sp. nr. innocens, 253, 254, 258.
Simulium tuberosum, 253-260.
Simulium vittatum, 253-260.
Siphonaptera, 217.
Sphecidae, 261-275.
Spiders, 204, 219-222.
Spinturnicidae, 217.
Spinturnix americanus, 217.
Spinturnix bakeri, 217.
Spruce budworm, 1-24, 109, 111, 185-187, 277-286, 287-296, 297-301.
Steatonyssus occidentalis, 217.
Stegopterna mutata, 253-258.
Stenacron, 25, 29, 30.
Stenolophus comma, 38.
Stenonema, 25, 27, 29, 30.
Stink bugs, 97, 98, 159-161, 225, 226.
Sunira bicolorago, 267.
Synanthedon pictipes, 189-192.
Syrphidae, 213.
Tachinidae, 203, 204, 261, 273.
Tarnished plant bug, 237-246.
Tent caterpillars, 261.
Tenthredinidae, 207-211.
Termites, 31-34.
Tetrastichus minutus, 156.
Tetrastichus sp. 177.
Thripidae, 154.
Thrips, 154.
Thyanta, 225.
Thyanta calceata, 97, 98, 231-235.
Thysanoptera, 154.
Tiger-beetles, 267, 273.
Timulla vagans vagans, 213.
Tortricidae, 1-24, 185-187, 277-286, 287-296, 297-301.
Triepeolus mesillae, 146.
Trombiculidae, 218.
Vespidae, 204.
Wagneria carbonaria, 262.
Western budworm, 278.
White grub, 165-170.
Wolf spiders, 55-58.
Xyleborus adumbratus, 182.
Xyleborus compactus, 179, 181.
Xyleborus germanus, 171-174, 175-183.
Xyleborus saxeseni, 177.
Xyleborus sayi, 175.
Xyleborus semiopacus, 175.
Xylosandrus compactus, 179.
Xylosandrus dispar, 177.
Xylosandrus germanus, 171-174, 175-183.
Yellowheaded spruce sawfly, 207-211.
Zootermopsis augusticollis, 31.